

1
SEQUENCE LISTING

<110> Loibner, Hans
Himmeler, Gottfried
Waxenecker, Gunter
Schuster, Manfred
Putz, Thomas

<120> Immunogenic Recombinant Antibody

<130> 4518-0111PUS1

<140> US 10/552,324
<141> 2004-04-16

<150> AT A 599/2003
<151> 2003-04-17

<160> 5

<170> PatentIn version 3.3

<210> 1
<211> 3973
<212> DNA
<213> Artificial Sequence

<220>
<223> recombinant mouse IgG2a mAB 17-1A antibody produced in CHO
(Chinese Hamster Ovary) cells

<220>
<221> misc_feature
<222> (213)..(213)
<223> n = a, g, c, t

<220>
<221> misc_feature
<222> (288)..(288)
<223> n = a, g, c, t

<400> 1
ataggctagc ctcgagccac caccatgcat cagaccagca tgggcatcaa gatggaatca 60
cagactctgg tcttcataat cataactgctc tgggttatatg gagctgatgg gaacattgta 120
atgacccaat ctcccaaata catgtccatg tcagtaggag agaggggtcac cttgacctgc 180
aaggccagtg agaattgtgg tacttatggt tcntgggtatc aacagaaacc agagcagttc 240
cctaaactgc tgatatatgg ggcatacaac cggtagactg ggggtcccnga tcgcttcaca 300
ggcagtggtat ctgcaacaga ttctactctg accatcagca gtgtgcaggc tgaagacctt 360
gcagattatc actgtggaca ggggttacagc tatccgtaca cggttcggagg ggggaccaag 420
ctggaaataa aacgggctga tgctgcacca actgtatcca tcttcccacc atccagttag 480
cagttaacat ctggaggtgc ctcatgctg tgcttcttga acaacttcta ccccaaagac 540
atcaatgtca agtggaagat tgatggcagt gaacgacaaa atggcgctct gaacagttgg 600
actgatcagg acagcaaaga cagcacctac agcatgagca gcacctcac gttgaccaag 660
gacgagtatg aacgacataa cagctatacc tgtgaggcca ctcaaaagac atcaacttca 720
cccattgtca agagcttcaa caggaatgag tgtagacgc gtggatccgc ccctctccct 780
ccccccccc taacgttact ggccgaagcc gcttggaata aggccggtgt gcgtttgtct 840

atatgtgatt	ttccaccata	ttgccgtctt	ttggcaatgt	gagggcccgg	aaacctggcc	900
ctgtcttctt	gacgagcatt	cctagggggtc	tttcccctct	cgccaaagga	atgcaaggtc	960
tgttgaatgt	cgtgaaggaa	gcagttcctc	tggaagcttc	ttgaagacaa	acaacgtctg	1020
tagcgaccct	ttgcaggcag	cggaaacccc	cacctggcga	caggtgcctc	tgcggccaaa	1080
agccacgtgt	ataagataca	cctgcaaagg	cggcacaacc	ccagtgccac	gttgtgagtt	1140
ggatagttgt	ggaaagagtc	aaatggctct	cctcaagcgt	attcaacaag	gggctgaagg	1200
atgcccagaa	ggtaccccat	tgtatgggat	ctgatctggg	gcctcgggtg	acatgcttta	1260
catgtgttta	gtcgagggtta	aaaaaacgtc	taggcccccc	gaaccacggg	gacgtggttt	1320
tcctttgaaa	aacacgatga	taatatggcc	accaccatgg	aatggagcag	agtctttatc	1380
tttctcctat	cagtaactgc	aggtgttcac	tcccagggtcc	agttgcagca	gtctggagct	1440
gagctggtaa	ggcctgggac	ttcagtgaag	gtgtcctgca	aggcttctgg	atacgccttc	1500
actaattact	tgatagagtg	ggtaaagcag	aggcctggac	agggccttga	gtggattggg	1560
gtgattaatc	ctggaagtgg	tggtactaac	tacaatgaga	agttcaaggg	caaggcaaca	1620
ctgactgcag	acaaatcctc	cagcactgcc	tacatgcagc	tcagcagcct	gacatctgat	1680
gactctgcgg	tctatctctg	tgcaagagat	ggtccctggg	ttgcttactg	gggccaaggg	1740
actctgggtca	ctgtctctgc	agccaaaaca	acagccccat	cggctctatcc	actggcccct	1800
gtgtgtggag	atacaactgg	ctcctcgggt	actctaggat	gcctgggtcaa	gggttatattc	1860
cctgagccag	tgaccttgac	ctggaactct	ggatccctgt	ccagtgggtgt	gcacaccttc	1920
ccagctgtcc	tgcagtctga	cctctacacc	ctcagcagct	cagtgcactgt	aacctcgagc	1980
acctggccca	gccagtccat	cacctgcaat	gtggcccacc	cggcaagcag	caccaagggtg	2040
gacaagaaaa	ttgagcccag	aggggcccaca	atcaagccct	gtcctccatg	caaattgccc	2100
gcacctaac	tcttggggtg	accatccgtc	ttcatcttcc	ctccaaagat	caaggatgta	2160
ctcatgatct	ccctgagccc	catagtcaca	tgtgtgggtg	tggatgtgag	cgaggatgac	2220
ccagatgtcc	agatcagctg	gtttgtgaac	aacgtggaag	tacacacagc	tcagacacaa	2280
acccatagag	aggattacaa	cagtactctc	cgggtgggtca	gtgccctccc	catccagcac	2340
caggactgga	tgagtggcaa	ggagttcaaa	tgcaagggtca	acaacaaaga	cctcccagcg	2400
cccatcgaga	gaaccatctc	aaaacccaaa	gggtcagtaa	gagctccaca	ggtatatgtc	2460
ttgcctccac	cagaagaaga	gatgactaag	aaacagggtca	ctctgacctg	catgggtcaca	2520
gacttcatgc	ctgaagacat	ttacgtggag	tggaccaaca	acgggaaaac	agagctaaac	2580
tacaagaaca	ctgaaccagt	cctggactct	gatggttctt	acttcatgta	cagcaagctg	2640
agagtggaaa	agaagaactg	ggtggaaaga	aatagctact	cctgttcagt	ggtccacgag	2700
ggtctgcaca	atcaccacac	gactaagagc	ttctcccggg	ctccgggtaa	atgagtcgac	2760
acgcgtcgag	catgcatcta	gggcggccaa	ttccgcccct	ctccctcccc	ccccctaac	2820
gttactggcc	gaagccgctt	ggaataaggc	cgggtgtgcgt	ttgtctatat	gtgattttcc	2880
accatattgc	cgtcttttgg	caatgtgagg	gcccggaaac	ctggccctgt	cttcttgacg	2940

```

agcattccta ggggtctttc ccctctcgcc aaaggaatgc aaggctctgtt gaatgtcgtg 3000
aaggaagcag ttcctctgga agcttcttga agacaaacaa cgtctgtagc gaccctttgc 3060
aggcagcgga accccccacc tggcgacagg tgcctctgcg gccaaaagcc acgtgtataa 3120
gatacacctg caaaggcggc acaaccccag tgccacgttg tgagttggat agttgtggaa 3180
agagtcaa at ggctctcctc aagcgtattc aacaaggggc tgaaggatgc ccagaaggta 3240
ccccattgta tgggatctga tctggggcct cggtgcacat gctttacatg tgtttagtcg 3300
aggttaaaaa aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca 3360
cgatgataag cttgccacaa cccgggatcc tctagaccac catggttcga ccattgaact 3420
gcatcgtcgc cgtgtcccaa gatatgggga ttggcaagaa cggagacctc ccctggcctc 3480
cgctcaggaa cgagttcaag tacttccaaa gaatgaccac aacctcttca gtggaaggta 3540
aacagaatct ggtgattatg ggtaggaaaa cctggttctc cattcctgag aagaatcgac 3600
ctttaaagga cagaattaat atagttctca gtagagaact caaagaacca ccacgaggag 3660
ctcattttct tgccaaaagt ttggatgatg ccttaagact tattgaacaa ccggaattgg 3720
caagtaaagt agacatgggt tggatagtcg gaggcagttc tgtttaccag gaagccatga 3780
atcaaccagg ccacctcaga ctctttgtga caaggatcat gcaggaattt gaaagtgaca 3840
cgtttttccc agaaattgat ttggggaaat ataaacttct cccagaatac ccaggcgtcc 3900
tctctgaggt ccaggaggaa aaaggcatca agtataagtt tgaagtctac gagaagaaag 3960
actaagcggc cgc 3973

```

```

<210> 2
<211> 465
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> recombinant mouse IgG2a mAB 17-1A antibody produced in CHO
      (Chinese Hamster Ovary) cells

```

```

<400> 2

```

```

Met Glu Trp Ser Arg Val Phe Ile Phe Leu Leu Ser Val Thr Ala Gly
1           5           10          15

```

```

Val His Ser Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Val Arg
          20          25          30

```

```

Pro Gly Thr Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe
          35          40          45

```

```

Thr Asn Tyr Leu Ile Glu Trp Val Lys Gln Arg Pro Gly Gln Gly Leu
50          55          60

```

```

Glu Trp Ile Gly Val Ile Asn Pro Gly Ser Gly Gly Thr Asn Tyr Asn
65          70          75          80

```

```

Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser

```

85

90⁴

95

Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Asp Asp Ser Ala Val
 100 105 110

Tyr Phe Cys Ala Arg Asp Gly Pro Trp Phe Ala Tyr Trp Gly Gln Gly
 115 120 125

Thr Leu Val Thr Val Ser Ala Ala Lys Thr Thr Ala Pro Ser Val Tyr
 130 135 140

Pro Leu Ala Pro Val Cys Gly Asp Thr Thr Gly Ser Ser Val Thr Leu
 145 150 155 160

Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Leu Thr Trp
 165 170 175

Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val Leu
 180 185 190

Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Thr Ser Ser
 195 200 205

Thr Trp Pro Ser Gln Ser Ile Thr Cys Asn Val Ala His Pro Ala Ser
 210 215 220

Ser Thr Lys Val Asp Lys Lys Ile Glu Pro Arg Gly Pro Thr Ile Lys
 225 230 235 240

Pro Cys Pro Pro Cys Lys Cys Pro Ala Pro Asn Leu Leu Gly Gly Pro
 245 250 255

Ser Val Phe Ile Phe Pro Pro Lys Ile Lys Asp Val Leu Met Ile Ser
 260 265 270

Leu Ser Pro Ile Val Thr Cys Val Val Val Asp Val Ser Glu Asp Asp
 275 280 285

Pro Asp Val Gln Ile Ser Trp Phe Val Asn Asn Val Glu Val His Thr
 290 295 300

Ala Gln Thr Gln Thr His Arg Glu Asp Tyr Asn Ser Thr Leu Arg Val
 305 310 315 320

Val Ser Ala Leu Pro Ile Gln His Gln Asp Trp Met Ser Gly Lys Glu
 325 330 335

Phe Lys Cys Lys Val Asn Asn Lys Asp Leu Pro Ala Pro Ile Glu Arg
 340 345 350

Thr Ile Ser Lys Pro Lys Gly Ser Val Arg Ala Pro Gln Val Tyr Val
 355 360 365

Leu Pro Pro Pro Glu Glu Glu Met Thr Lys Lys Gln Val Thr Leu Thr
370 375 380

Cys Met Val Thr Asp Phe Met Pro Glu Asp Ile Tyr Val Glu Trp Thr
385 390 395 400

Asn Asn Gly Lys Thr Glu Leu Asn Tyr Lys Asn Thr Glu Pro Val Leu
405 410 415

Asp Ser Asp Gly Ser Tyr Phe Met Tyr Ser Lys Leu Arg Val Glu Lys
420 425 430

Lys Asn Trp Val Glu Arg Asn Ser Tyr Ser Cys Ser Val Val His Glu
435 440 445

Gly Leu His Asn His His Thr Thr Lys Ser Phe Ser Arg Thr Pro Gly
450 455 460

Lys
465

<210> 3
<211> 243
<212> PRT
<213> Artificial sequence

<220>
<223> recombinant mouse IgG2a mAB 17-1A antibody produced in CHO
(Chinese Hamster Ovary) cells

<400> 3

Met His Gln Thr Ser Met Gly Ile Lys Met Glu Ser Gln Thr Leu Val
1 5 10 15

Phe Ile Ser Ile Leu Leu Trp Leu Tyr Gly Ala Asp Gly Asn Ile Val
20 25 30

Met Thr Gln Ser Pro Lys Ser Met Ser Met Ser Val Gly Glu Arg Val
35 40 45

Thr Leu Thr Cys Lys Ala Ser Glu Asn Val Val Thr Tyr Val Ser Trp
50 55 60

Tyr Gln Gln Lys Pro Glu Gln Ser Pro Lys Leu Leu Ile Tyr Gly Ala
65 70 75 80

Ser Asn Arg Tyr Thr Gly Val Pro Asp Arg Phe Thr Gly Ser Gly Ser
85 90 95

Ala Thr Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Leu
100 105 110

Ala Asp Tyr His Cys Gly Gln Gly Tyr Ser Tyr Pro Tyr Thr Phe Gly
115 120 125

Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala Pro Thr Val
130 135 140

Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser
145 150 155 160

Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys
165 170 175

Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn Ser Trp
180 185 190

Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu
195 200 205

Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu
210 215 220

Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe Asn Arg
225 230 235 240

Asn Glu Cys

<210> 4
<211> 243
<212> PRT
<213> Artificial Sequence

<220>
<223> recombinant mouse IgG2a mAB 17-1A antibody produced in CHO
(Chinese Hamster Ovary) cells

<400> 4

Met His Gln Thr Ser Met Gly Ile Lys Met Glu Ser Gln Thr Leu Val
1 5 10 15

Phe Ile Ser Ile Leu Leu Trp Leu Tyr Gly Ala Asp Gly Asn Ile Val
20 25 30

Met Thr Gln Ser Pro Lys Ser Met Ser Met Ser Val Gly Glu Arg Val
35 40 45

Thr Leu Thr Cys Lys Ala Ser Glu Asn Val Val Thr Tyr Val Ser Trp
50 55 60

Tyr Gln Gln Lys Pro Glu Gln Ser Pro Lys Leu Leu Ile Tyr Gly Ala
65 70 75 80

Ser Asn Arg Tyr Thr Gly Val Pro Asp Arg Phe Thr Gly Ser Gly Ser
85 90 95

Ala Thr Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Leu

7

100	105	110
Ala Asp Tyr His Cys Gly Gln Gly Tyr Ser Tyr Pro Tyr Thr Phe Gly		
115	120	125
Gly Gly Thr Lys Leu Glu Ile Arg Arg Ala Asp Ala Ala Pro Thr Val		
130	135	140
Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser		
145	150	155
Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys		
165	170	175
Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn Ser Trp		
180	185	190
Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu		
195	200	205
Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu		
210	215	220
Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe Asn Arg		
225	230	235
240		

Asn Glu Cys

<210> 5
 <211> 243
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> recombinant mouse IgG2a mAB 17-1A antibody produced in CHO
 (Chinese Hamster Ovary) cells

<400> 5

Met His Gln Thr Ser Met Gly Ile Arg Met Glu Ser Gln Thr Leu Val		
1	5	10
Phe Ile Ser Ile Leu Leu Trp Leu Tyr Gly Ala Asp Gly Asn Ile Val		
20	25	30
Met Thr Gln Ser Pro Arg Ser Met Ser Met Ser Val Gly Glu Arg Val		
35	40	45
Thr Leu Thr Cys Arg Ala Ser Glu Asn Val Val Thr Tyr Val Ser Trp		
50	55	60
Tyr Gln Gln Arg Pro Glu Gln Ser Pro Arg Leu Leu Ile Tyr Gly Ala		
65	70	75
80		

Ser Asn Arg Tyr Thr Gly Val Pro Asp Arg⁸ Phe Thr Gly Ser Gly Ser
 85 90 95
 Ala Thr Asp Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Leu
 100 105 110
 Ala Asp Tyr His Cys Gly Gln Gly Tyr Ser Tyr Pro Tyr Thr Phe Gly
 115 120 125
 Gly Gly Thr Arg Leu Glu Ile Arg Arg Ala Asp Ala Ala Pro Thr Val
 130 135 140
 Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly Ala Ser
 145 150 155 160
 Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn Val Lys
 165 170 175
 Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn Ser Trp
 180 185 190
 Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser Thr Leu
 195 200 205
 Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr Cys Glu
 210 215 220
 Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe Asn Arg
 225 230 235 240
 Asn Glu Cys